ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF 6				
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/					/CALL NO.	(YYYYMMMDD)						
DAAE20-02-G-0009 BR3H 6. ISSUED BY CODE W56HZV					7. ADMINIST	2004MAY13 SEE SCHEDULE CRED BY (If other than 6) CODE S			2305A	DOA4 8. DELIVERY FOB		
TACOM WARREN BLDG 231 AMSTA-AQ-AHPB DEBORAH ROTH (586)574-8055 WARREN, MICHIGAN 48397-5000 EMAIL: ROTHD@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL						DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000					DESTINATION X OTHER (See Schedule if	
9. CONTR	ACTOR			CODE	7W356	SCD: A FACIL			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)		other) 11. X IF BUSINESS IS
	•					4	•	(Y	YYYMMMDI	D)		SMALL
			DYNAMICS LAND SY UND ROAD	YSTEMS I	INC.			SEE	SCHEDULE		SMALL	
NAME AND			HEIGHTS, MI. 48	8310-326	50		12. DISCOUNT TERMS					DISADVANTAGED
ADDRESS	3											WOMAN-OWNED
	•						•	13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
	TYPE	BUSI	INESS: Large Bus	siness I	erforming	g in U.S.		See	Block 15	5		
14. SHIP 7				CODE		1	T WILL BE MADE I			COD	E HQ0337	MARK ALL PACKAGES AND
SEE	SCHEDULE						S - COLUMBUS S-CO/NORTH EN			RATION		PAPERS WITH
							. BOX 182266 UMBUS OH 4	13218-	-2266			IDENTIFICATION NUMBERS IN
	T											BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL	х	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER G	GOVERNMENT AG	ENCY OR IN ACCORD	OANCE W	ITH AND SUBJI	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE		Reference your	Oral			specified herein.	, D	ated			
										MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
									SIGNED 'MMMDD)			
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE												
SEE 18. ITEM	SCHEDULE	CHE	DULE OF SUPPLIES/SI	EDVICE			20. QUANTITY	7	21.	22. UNIT PRICE	23. AMOUNT	
18.11EM	NO. 19.8	СНЕ	DULE OF SUPPLIES/SI	EKVICE			ORDERED/ ACCEPTED*	(UNIT	22. UNII PRICE	23. AMOUNI	
			HEDULE									
			CT TYPE: -Fixed-Price									
	KIND OF CONTRACT:											
	S	upp	ly Contracts and	d Price	d Orders							
	accepted by the			4. UNITED	STATES OF A	MERICA WITTE /SI	GNED/				25. TOTAL 26.	\$37,274.02
If differen		uanti	ity accepted below	BY:			MIL (586)574-		TED A C'EINIC (C	ORDERING OFFICER	DIFFERENCES	S
			N 20 HAS BEEN)1:				CON	TRACTING/C	RDEKING OFFICER		
	PECTED	_				ORMS TO CONT	TRACT EXCEPT AS	NOTE				
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMMD	D)		D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT	
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					VE	28. SHIP. NO.	28. SHIP. NO. 29. D.O. VOUCHER NO.			30. INITIALS		
						<u> </u>	32. PAID BY		33. AMOUNT V	VERIFIED CORRECT FOR		
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						PARTIA	L					
						31. PAYMENT	FINAL 31. PAYMENT 34. CHE			34. CHECK NU	MBER	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.					COMPL							
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER					PARTIA				35. BILL OF L	ADING NO.		
(YYYYMMMDD)							FINAL					
37. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVE (YYYYMMMDD)					40. TOTAL CO TAINERS	DN-	41. S/R ACCOUNT NUMBER 42. S/R VOUCHER NO.			IER NO.		

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR3H

MOD/AMD

Page 2 of 6

Name of Offeror or Contractor: General dynamics land systems inc.

SUPPLEMENTAL INFORMATION

CONTRACT DAAE20-02-G-0009 DELIVERY ORDER BR3H

1. INSPSECTION, ACCEPTANCE, FOB SHIPPING ADDRESS IS AS FOLLOWS:

GDLS/LIMA OPERATIONS 1161 BUCKEYE ROAD LIMA, OHIO 45804-1825

2. THE NEGOTIATED PRICE FOR THIS D.O. IS ACCEPTABLE TO BOTH PARTIES PER GOVT E-MAIL DATED 01 Apr 2004 (REFERENCE : GDLS PROPOSAL #Q-0574, DATED 29 DEC 2004).

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR3H MOD/AMD

Page 3 **of** 6

Name of Offeror or Contractor: General Dynamics Land Systems inc.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 4320-01-501-0280 FSCM: 01417 PART NR: LSCP270215-3 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	14	EA	\$ 2,662.43000	\$37,274.02
	NOUN: MOTOR-PUMP, HYDRAULI PRON: EH492559EH PRON AMD: 02 ACRN: AA AMS CD: 060021				
	This solicitation is restricted to the approved source GDLS or an authorized distributor.				
	(End of narrative C001)				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENT IN 52.211-4515 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV333303137 W90454 J 2 DEL REL CD QUANTITY DEL DATE 001 14 29-OCT-2004				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS (W90454) XR W4GG HQ US ARMY TACOM TEAM ABRAMS PARTNERSHIP FACILITY WHSE BLDG 88037 LOGISTICS LANE FT HOOD TX 76544-5060				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-02-G-0009/BR3H				

CONTINUATION SHEET				Reference No. of Document Being Continued						Page 4 of 6
				PIIN/SIIN DAAE20-02-G-0009/BR3H			MOD/AMD			
Name of Offeror or Contractor: General Dynamics Land Systems Inc.										
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	ЕН492559ЕН	AA 2	97 X4930A	C9D 6D	26KB	S20113		W56HZV	\$	37,274.02
	060021									
								TOTAL	\$	37,274.02
SERVICE	:						ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION			STATI	ON		AMOUNT
Army		AA	97 X4930A	C9D 6D	26KB	S20113	W56HZ	V	\$ _	37,274.02
								TOTAL	\$	37,274.02

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR3H

MOD/AMD

Page 5 of 6

Name of Offeror or Contractor: General Dynamics Land Systems inc.

CONTRACT CLAUSES

1

Regulatory Cite	Title	Date
52.211-4514	PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)	MAR/2004

- (a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the requirements in the specification/standard defined below.
 - (b) The following requirements shall apply:
 - (1) LEVEL OF PRESERVATION: COMMERCIAL
 - (2) LEVEL OF PACKING: COMMERCIAL
 - (3) QUANTITY PER UNIT PACKAGE: 001
 - (4) SPECIFICATION/STANDARD: NONE
- (c) The specification/standard cited is intended to give a clear and accurate description of the technical packaging requirements for the item being procured, including the procedure by which it can be determined that the requirements have been met. Specific instructions and/or tailoring of the specification/standard is detailed in the supplemental instructions below. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing and without affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO with copies to the ACO. The government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing.

(d) Marking:

- (1) In addition to any special markings called out by the specification/standard above, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec. 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at http://www.easysoftcorp.com/products/Software/MSL.html. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DDDAAC.
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 6
CONTINUATION SHEET	PIIN/SIIN DAAE20-02-G-0009/BR3H MOD/AMD	

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

- (f) Hazardous Materials(As applicable):
 - (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) When applicable, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO

P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(g) SUPPLEMENTAL INSTRUCTIONS: -5-

[End of Clause]